

Fork Mounted Lifting Hook

The fork mounted lifting hook provides the operator with the ability to lift and lower suspended loads without removing the carriage.

Features

- Not for use with cubing or block forks
- Maximum fork size: 2.36 in. x 7.09 in.
- Use standard load chart for all fork mounted lifting hooks.
- Fork drop must be at least 3.75" below bottom of carriage to lock pin.



Current Production - Fork Mounted Lifting Hook

Available Through JLG Aftermarket Or With New Machine Orders

LIFTING CAPACITY			5,500 lbs.	12,000 lbs.	15,000 lbs.
PART NO.			1001242510	1001097205	1001193803
MODEL	SN BREAKS				
JLG	742	ALL		•	
	943/1043	Without Outriggers		•	
		With Outriggers		•	
	1055	Prior To 0160074169		•	
		0160074169 - Present		•	
	1255	Prior To 0160074168		•	
		0160074168 - Present		•	
	1644	ALL			•
SKYTRAK TAF	1732	ALL			•
	G5-18-A	Universal (skid steer) quick coupler; 0160040809-Present	•	•	
	6036	0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722		•	
		0160075650 - Present, excl 0160075653 & 0160075722		•	
	6042	0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411		•	
		0160075657 - Present		•	
	8042	0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441		•	
		0160075671 - Present		•	
	10042	0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441		•	
		0160075988 - Present		•	
	10054	0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696		•	
		0160075683 - Present, excl 0160075696		•	

Use Appropriate Carriage Attachment Load Chart

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

ATTACHMENTS

Non-Current Production - Fork Mounted Lifting Hook, JLG

Available Through JLG Aftermarket Parts

LIFTING CAPACITY			8,800 lbs.	12,000 lbs.	15,000 lbs.
PART NO.			2700118	1001097205	1001193803
MODEL	SN BREAKS				
JLG	642	ALL		•	
	619A	ALL	•	•	
	723A	ALL	•	•	
	G5-19A	ALL	•		
	G6-23A	ALL	•		
	G6-42A	0160037722 - 0160040659		•	
		0160040678 - Present		•	
	G9-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672		•	
		0160040675 - Present, incl 0160040468 & 0160040672		•	
	G10-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672		•	
		0160040675 - Present, incl 0160040468 & 0160040672		•	
	G10-55A	0160037690 - 0160038486, incl 0160038505 & 0160038507, excl 0160038324, 0160038489 & 0160038493		•	
		0160038500 - Present, incl 0160038324, 0160038489 & 0160038493; excl 0160038505 & 0160038507		•	
	G12-55A	0160037689-0160038533		•	
		0160038538 - Present		•	
	G15-44A	Prior To 0160074142			•
		0160074142 - Present			•

Non-Current Production - Fork Mounted Lifting Hook, Gradall

Available Through JLG Aftermarket Parts

LIFTING CAPACITY			12,000 lbs.
PART NO.			1001097205
MODEL	SN BREAKS		
GRADALL	522D/524D	ALL	•
	534C-9	ALL	•
	534C-10	ALL	•
	534D-6	ALL	•
	534D-9	0160037689 - Present	•
	534D-10	0160037689 - Present	•
	544C	ALL	•
	544D	0160037689 - Present	•
	G6-42P	0160037689 - Present	•

Use Appropriate Carriage Attachment Load Chart

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Fork Mounted Lifting Hook, SkyTrak

Available Through JLG Aftermarket Parts


LIFTING CAPACITY			12,000 lbs.
PART NO.			1001097205
MODEL	SN BREAKS		
SKYTRAK	4266	ALL	▪
	4270	ALL	▪
	4290	ALL	▪
	5028	ALL	▪
	6036	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	▪
	6042	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	▪
	8042	0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪
	10042	0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 01600669359 & 0160069441	▪
	10054	0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪

Non-Current Production - Fork Mounted Lifting Hook, Lull

Available Through JLG Aftermarket Parts

LIFTING CAPACITY			12,000 lbs.
PART NO.			1001097205
MODEL	SN BREAKS		
LULL	644B-37	ALL	▪
	644B-42	ALL	▪
	644D-34	ALL	▪
	644E-42	0160037900 - Present	▪
	844C-42	ALL	▪
	944E-42	0160037794 - Present, incl 0160045421	▪
	1044C-42	ALL	▪
	1044C-54	ALL	▪
	1044C-54 SII	Prior To 0160037793	▪
	1044C-54 SII	0160037794 - Present	▪

Use Appropriate Carriage Attachment Load Chart

**NOTES:**

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.