


Standard Carriage

The standard carriage is manufactured with high quality steel and is available in various sizes. This attachment is essential on most job sites, allowing operators to pick and place materials – from pallets of concrete block to loads of lumber.

Features

- Standard up-and-down tilt on horizontal plane
- Multiple fork options
- Available with 8000 lb. lifting hook for most current production applications



Current Production - Standard Carriages

Available Through JLG Aftermarket Or With New Machine Orders

CARRIAGE SIZE				50 in.	50 in.	50 in.	60 in.	60 in.	72 in.	72 in.	72 in.	87 in.
LIFTING HOOK				No	Yes	No	Yes	No	Yes	No	No	No
APPROX. WEIGHT				460 lbs.	478 lbs.	526 lbs.	503 lbs.	708 lbs.	639 lbs.	639 lbs.	745 lbs.	915 lbs.
PART NO.				1001104435	1001146084S**	1001113038S*	1001146086S**	1001183447	1001193794S	1001211516S	1001214415S	1001192339S
FORK PIN NO.				3423275	3423275	3423275	3423242	1001191108	3423276	3223276	1001214254	1001218754
MODEL		SN BREAKS	LOAD CHART BOOKLET									
JLG	642, 943, 1043, 1055, 1255 ONLY	Software, Chart Library	1001187087 (Ref No.)									
	742	ALL	1001226012		•		•		•			
	943/1043	Without Outriggers	1001212420		•		•		•			
		With Outriggers	1001212419		•		•		•			
	1055	Prior To 0160074169	1001212227		•		•		•			
		0160074169 - Present	1001211156		•		•		•			
	1255	Prior To 0160074168	1001212225		•		•		•			
		0160074168 - Present	1001211153		•		•		•			
	1644	ALL	1001233430					•			•	•
	1732	ALL	1001233431					•			•	•
SKYTRAK T4F	6036	Quick coupler (hydraulic or manual)	1001102000	•		•						
		Universal (skid steer) quick coupler Prior To 0160040809	1001126677	•		•						
	6042	0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722	1001199500		•		•		•	•		
		0160075650 - Present, excl 0160075653 & 0160075722	1001211867		•		•		•			
	6042	0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504				•		•	•		
		0160075657 - Present	1001211869		•		•		•			

Continues on next page

* Used with optional Skid Steer Coupler.

** May require purchase of new load chart booklet on some models.

NOTES:

• Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.

• Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

ATTACHMENTS

Current Production - Standard Carriages

Available Through JLG Aftermarket Or With New Machine Orders

Continued from previous page

CARRIAGE SIZE				50 in.	60 in.	72 in.	72 in.
LIFTING HOOK				Yes	Yes	Yes	No
APPROX. WEIGHT				478 lbs.	503 lbs.	639 lbs.	639 lbs.
PART NO.				1001146084S**	1001146086S**	1001193794S	1001211516S
FORK PIN NO.				3423275	3423242	3423276	3223276
MODEL	SN BREAKS			LOAD CHART BOOKLET			
SKYTRAK T4E	8042	0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441		1001199508	.	.	.
		0160075671 - Present		1001211871	.	.	.
	10042	0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441		1001199512	.	.	.
		0160075988 - Present		1001211873	.	.	.
	10054	0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696		1001199518	.	.	.
		0160075683 - Present, excl 0160075696		1001211875	.	.	.

Non-Current Production - Standard Carriages, JLG

Available Through JLG Aftermarket Parts

CARRIAGE SIZE				48 in.	48 in.	50 in.	50 in.	50 in.	50 in.	60 in.	60 in.	60 in.	72 in.	72 in.	72 in.
LIFTING HOOK				No	No	No	No	Yes	No	No	Yes	No	No	No	Yes
APPROX. WEIGHT				377 lbs.	417 lbs.	460 lbs.	473 lbs.	478 lbs.	479 lbs.	498 lbs.	503 lbs.	522 lbs.	575 lbs.	638 lbs.	639 lbs.
PART NO.				1001107581	1001112618	1001104435	11700215	1001146084S**	11700195	11700245	1001146086S**	11700225	11700255	1001211516	1001193794S
FORK PIN NO.				1001107336	4040283	3423275	3423275	3423275	3423275	3423242	3423242	3423242	3423276	3223276	3423276
MODEL	SN BREAKS			LOAD CHART BOOKLET											
JLG	642	Prior to 0160075708		1001211624				.			.				.
		0160075708 to Present		1001212421			.			.			.		
	619A	ALL		Consult Factory		.	.								
	723A	ALL		Consult Factory		.	.								
	G5-19A	ALL		Consult Factory	.	.									
	G6-23A	ALL		Consult Factory	.	.									
	G6-42A	Prior to 0160037722		1001105323					.		.	.			
		0160037722 to Present		1001106001			.		.				.	.	
	G9-43A	Prior to 0160037665		1001105325					.		.	.			
		0160037666 to 0160051902 excl. 0160051085 to 0160051088, 0160051101, 0160051206 to 0160051209, 0160051220, 0160051223, 0160051232, 0160051368, 0160051376, 0160051378, 0160051381, 0160051382 & 0160051387		1001106002			.		.				.		
		0160051085 to Present incl. 0160051387		1001130663				.		.					.

Continues on next page

* Used with optional Skid Steer Coupler.

** May require purchase of new load chart booklet on some models.

NOTES:

• Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.

• Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Standard Carriages, JLG
Available Through JLG Aftermarket Parts

Continued from previous page

CARRIAGE SIZE			50 in.	50 in.	50 in.	60 in.	60 in.	60 in.	60 in.	60 in.	72 in.	72 in.	72 in.
LIFTING HOOK			No	Yes	No	No	Yes	No	No	Yes	No	No	Yes
APPROX. WEIGHT			473 lbs.	478 lbs.	479 lbs.	498 lbs.	503 lbs.	522 lbs.	530 lbs.	548 lbs.	575 lbs.	638 lbs.	639 lbs.
PART NO.			1170021S	1001146084S**	1170019S	1170024S	1001146086S**	1170022S	1001211711	100119291S	1170025S	1001211516	1001193794S
FORK PIN NO.			342327S	342327S	342327S	3423242	3423242	3423242	3423242	3423242	3423276	3423276	3423276
MODEL	SN BREAKS	LOAD CHART BOOKLET											
JLG	G10-43A	Prior To 0160037665	1001113013			.			.		.		
		0160037666 to 0160051902 excl. 0160051085 to 0160051088, 0160051101, 0160051206 to 0160051209, 0160051220, 0160051223, 0160051232, 0160051368, 0160051376, 0160051378, 0160051381, 0160051382 & 0160051387	1001130935	.		.					.		
		0160051085 to Present incl. 0160051387	1001130935		.		.						.
	G10-55A	Prior to 0160037689	1001105707			.			.		.		
		0160037689 to 0160051999	1001106003	.		.						.	
		0160052000 to Present	1001115135		.		.						.
	G12-55A	Prior to 0160037689	1001105326			.			.		.		
		0160037689 - 016005199	1001106004	.		.						.	
		0160052000 - Present	1001115336		.		.						.
	G15-44A	Prior to 0160075857	1001194130							.			.
		0160045857 - Present	1001211953						.			.	
	TF6-42	ALL	Consult Factory			.			.		.		

** May require purchase of new load chart booklet on some models.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

ATTACHMENTS

Non-Current Production - Standard Carriages, Gradall Available Through JLG Aftermarket Parts

CARRIAGE SIZE			50 in.	50 in.	50 in.	60 in.	72 in.	72 in.
LIFTING HOOK			No	No	No	No	No	No
APPROX. WEIGHT			471 lbs.	479 lbs.	490 lbs.	534 lbs.	586 lbs.	639 lbs.
PART NO.			1170021S	1170019S	1170020S	1170023	1170026S	1001211516S
FORK PIN NO.			3423275	3423275	3423275	3423242	3423276	3223276
MODEL	SN BREAKS	LOAD CHART BOOKLET						
GRADALL	522D/524D	ALL	Consult Factory		•	•	•	
	534C-9	ALL	Consult Factory		•	•	•	
	534C-10	ALL	Consult Factory		•	•	•	
	534D-6	ALL	Consult Factory		•	•	•	
	534D-9	Prior To 0160037689	1001102719		•	•	•	
		0160037689 - Present	1001112753	•				•
	534D-10	Prior To 0160037689	1001102720		•	•	•	
		0160037689 - Present	1001112753	•				•
	544C	ALL	Consult Factory		•	•	•	
	544D	Prior To 0160037689	1001102721		•	•	•	
		0160037689 - Present	1001106008	•				•
	G6-42P	Prior To 0160037689	1001105324		•			
		0160037689 - Present	1001106005	•				•

Non-Current Production - Standard Carriages, SkyTrak Available Through JLG Aftermarket Parts

CARRIAGE SIZE			48 in.	50 in.	50 in.	60 in.	60 in.	60 in.	72 in.	72 in.	72 in.
LIFTING HOOK			No	No	Yes	No	Yes	No	No	No	Yes
APPROX. WEIGHT			509 lbs.	471 lbs.	478 lbs.	497 lbs.	503 lbs.	510 lbs.	509 lbs.	639 lbs.	639 lbs.
PART NO.			6040500S	1170021S	1001146084S**	1170024S	1001146086S**	6040600S	6040700S	1001211516S	1001193794S
FORK PIN NO.			7128772	3423275	3423275	3423242	3423242	7128792	90551013	3223276	3423276
MODEL	SN BREAKS	LOAD CHART BOOKLET									
SKYTRAK	4266	ALL	Consult Factory	•				•	•		
	4270	ALL	Consult Factory	•				•	•		
	4290	ALL	Consult Factory	•				•	•		
	5028	ALL	Consult Factory	•				•	•		
	6036	Prior To 0160031200	Consult Factory	•				•	•		
		0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199500	•	•	•	•			•	•
	6042	Prior To 0160031200	Consult Factory	•				•	•		
		0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504	•	•	•	•			•	•
	8042	Prior To 0160031235	Consult Factory	•				•	•		
		0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508	•	•	•	•			•	•
	10042	Prior To 0160031425	Consult Factory								
		0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 01600669359 & 0160069441	1001199512	•	•	•	•			•	•
	10054	Prior To 0160031255	Consult Factory								
		0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 01600669359 & 0160069441	1001199518	•	•	•	•			•	•

** May require purchase of new load chart booklet on some models.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Standard Carriages, Lull
Available Through JLG Aftermarket Parts

CARRIAGE SIZE			48 in.	50 in.	50 in.	50 in.	50 in.	60 in.	60 in.	60 in.	72 in.	72 in.	72 in.	74 in.
LIFTING HOOK			No	No	Yes	No	No	No	Yes	No	No	No	Yes	No
APPROX. WEIGHT			509 lbs.	471 lbs.	478 lbs.	500 lbs.	532 lbs.	497 lbs.	503 lbs.	510 lbs.	509 lbs.	639 lbs.	639 lbs.	598 lbs.
PART NO.			60405005	11700215	1001146084S**	48040	71612005	11700245	1001146086S**	60406005	60407005	1001211516S	1001193794S	48042
FORK PIN NO.			7128772	3423275	3423275	10223049	90451058	3423242	3423242	7128792	90551013	3223276	3423276	10124495
MODEL			SN BREAKS	LOAD CHART BOOKLET										
LULL	644B-42	ALL	Consult Factory				•							•
	644D-34	ALL	Consult Factory				•							•
	644E-42	Prior To 0160031500	7300628	•				•			•	•		
		0160031500 - Present	1001134329		•	•			•	•		•	•	
	844C-42	ALL	Consult Factory				•							•
	944E-42	Prior To 0160031500	7301586	•				•			•	•		
		0160031500 - Present	1001106011		•	•			•	•		•	•	
	1044C-54 SII	Prior To 0160037893	1001105327				•							•
		0160037893 - Present	1001106009		•	•			•	•		•	•	
	6K-37	ALL	Consult Factory				•							•
	6K-42	ALL	Consult Factory				•							•
	8K-42	ALL	Consult Factory				•							•
	10K-42/ 10K-54	ALL	Consult Factory				•							•

** May require purchase of new load chart booklet on some models.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.