

Fork Mounted Work Platform

Simply slide the forks into the work platform pockets, secure the locking pins and begin lifting people to working heights. The only ANSI approved fork mounted platform for JLG telehandlers.

Features

- Only for use with 48 in. pallet forks
- 4 ft. x 8 ft. platform
- Side entry with removable front rail
- 1000 lbs. capacity
- 3 lanyard attach points
- Fork pocket dimensions: 2.5 in. x 5.5 in. x 48 in.
- Fork drop must be 3.75" below carriage to be able to lock pin.



Current Production - Fork Mounted Work Platform

Available Through JLG Aftermarket Or With New Machine Orders

LENGTH		48 in.	
CAPACITY		1000 lbs.	
VERSION		English	
PART NO.		1001238653S	
MODEL	SN BREAKS		
JLG	742	Without Outriggers	•
	943/1043	Without Outriggers	•
		With Outriggers	•
	1055	Prior To 0160074169	•
		0160074169 - Present	•
	1255	Prior To 0160074168	•
		0160074168 - Present	•
	1644/1732	ALL	•
G5-18A	ALL	•	
SKYTRAK™	6036	0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722	•
		0160075650 - Present, excl 0160075653 & 0160075722	•
	6042	0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•
		0160075657 - Present	•
	8042	0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•
		0160075671 - Present	•
	10042	0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•
		0160075988 - Present	•
	10054	0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696	•
		0160075683 - Present, excl 0160075696	•

Use Appropriate Carriage Attachment Load Chart

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Fork Mounted Work Platform, JLG
Available Through JLG Aftermarket Parts

LENGTH		48 in.	
CAPACITY		1000 lbs.	
VERSION		English	
PART NO.		1001238653S	
	MODEL	SN BREAKS	
JLG	642	ALL	
	619A	ALL	
	723A	ALL	
	G5-19A	ALL	
	G6-23A	ALL	
	G6-42A	0160037722 - 0160040659	.
		0160040678 - Present	.
	G9-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672	.
		0160040675 - Present, incl 0160040468 & 0160040672	.
	G10-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672	.
		0160040675 - Present, incl 0160040468 & 0160040672	.
	G10-55A	0160037690 - 0160038486, incl 0160038505 & 0160038507, excl 0160038324, 0160038489 & 0160038493	.
		0160038500 - Present, incl 0160038324, 0160038489 & 0160038493, excl 0160038505 & 0160038507	.
	G12-55A	0160037689 - 0160038533	.
		0160038538 - Present	.
	G15-44A	Prior To 0160074142	.
0160074142 - Present		.	
TF6-42	ALL	.	

Non-Current Production - Fork Mounted Work Platform, Gradall
Available Through JLG Aftermarket Parts

LENGTH		48 in.	
CAPACITY		1000 lbs.	
VERSION		English	
PART NO.		1001238653S	
	MODEL	SN BREAKS	
GRADALL	522/524D	ALL	
	534C9	ALL	
	534C10	ALL	
	534D6	ALL	
	534D-9	Prior To 0160037689	.
		0160037689 - Present	.
	534D-10	Prior To 0160037689	.
		0160037689 - Present	.
	534D10-45	ALL	
	544C	ALL	
	544D	Prior To 0160037689	.
		0160037689 - Present	.
	544D10-55	ALL	
G6-42P	Prior To 0160037689	.	

Use Appropriate Carriage Attachment Load Chart

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.


Non-Current Production - Fork Mounted Work Platform, SkyTrak
Available Through JLG Aftermarket Parts

LENGTH		48 in.	
CAPACITY		1000 lbs.	
VERSION		English	
PART NO.		1001238653S	
MODEL	SN BREAKS		
SKYTRAK	4266	ALL	•
	4270	ALL	•
	4290	ALL	•
	5028	ALL	•
	6036	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•
	6042	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•
	8042	0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•
	10042	0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•
	10054	0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•

Non-Current Production - Fork Mounted Work Platform, Lull
Available Through JLG Aftermarket Parts

LENGTH		48 in.	
CAPACITY		1000 lbs.	
VERSION		English	
PART NO.		1001238653S	
MODEL	SN BREAKS		
LULL	644B-37	ALL	•
	644B-42	ALL	•
	644D-34	ALL	•
	644E-42	0160037900 - Present	•
	844C-42	ALL	•
	944E-42	0160037794 - Present, incl 0160045421	•
	1044C-42	ALL	•
	1044C-54	0160037893 - Present	•
	1044C-54 SII	0160037794 - Present	•

Use Appropriate Carriage Attachment Load Chart



NOTES:

· Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.