

Tower Carriages

The tower increases mobility and efficiency on the job site. It allows the operator to move materials to a higher row of scaffolding by extending the vertical reach without any additional boom extension.

Features

- Tower requires auxiliary hydraulics
- Available with side-tilt carriage
 - JLG and Gradall models equipped with tower with side-tilt carriage requires auxiliary electrics
 - Lull 1044C-54 and 1044C-54 SII models equipped with tower with side-tilt carriage requires second auxiliary circuit
- Available with side-shift 100° swing carriage



Current Production - Tower Carriages

Available Through JLG Aftermarket Or With New Machine Orders

TOWER HEIGHT			8 ft.	8 ft.
CARRIAGE TYPE			Standard	Side-Tilt
CARRIAGE WIDTH			50 in.	50 in.
INCLUDED FORK LENGTH			None	None
LIFTING CAPACITY			4500 lbs.	4500 lbs.
PART NO.			1001108668	1001108669
FORK PIN NO.			70022990	70022990
MODEL		SN BREAKS	LOAD CHART BOOKLET	
JLG	642, 943, 1043, 1055, 1255 ONLY	Software, Chart Library	1001187087 (Ref No.)	
	642	Without Outriggers	1001212421	•
		With Outriggers	1001203057	•
	943/1043	Without Outriggers	1001212420	•
		With Outriggers	1001212419	•
	1055	Prior To 0160074169	1001212227	•
		0160074169 - Present	1001211156	•
	1255	Prior To 0160074168	1001212225	•
		0160074168 - Present	1001211153	•
SKYTRAK T4F	6036	0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722	1001199500	•
		0160075650 - Present, excl 0160075653 & 0160075722	1001211867	•
	6042	0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504	•
		0160075657 - Present	1001211869	•
	8042	0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508	•
		0160075671 - Present	1001211871	•
	10042	0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512	•
		0160075988 - Present	1001211873	•
	10054	0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696	1001199518	•
		0160075683 - Present, excl 0160075696	1001211875	•

For SkyTrak Legacy machines, please refer to Non-Current Production SkyTrak table.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

ATTACHMENTS

Non-Current Production - Tower Carriages, JLG Available Through JLG Aftermarket Parts

TOWER HEIGHT				6 ft.	6 ft.	6 ft.	6 ft.	8 ft.	8 ft.
CARRIAGE TYPE				Standard	Standard	Swing w/ S.S.	Swing w/ S.S.	Standard	Side-Tilt
CARRIAGE WIDTH				48 in.	72 in.	72 in.	72 in.	50 in.	50 in.
INCLUDED FORK LENGTH				None	None	48 in.	60 in.	None	None
LIFTING CAPACITY				4500 lbs.	4500 lbs.	2600 lbs.	2878 lbs.	4500 lbs.	4500 lbs.
PART NO.				91405060	91405061	91405070	91415026	1001108668	1001108669
FORK PIN NO.				70020387	70020388	N/A	N/A	70022990	70022990
MODEL		SN BREAKS	LOAD CHART BOOKLET						
JLG	G6-42A	Prior To 0160037722	1001105323	.	.	.			
		0160037722 - 0160040659	1001110401				.	.	
		0160040678 - Present	1001130793				.	.	
	G9-43A	Prior To 0160037671	1001105325	.	.	.	.		
		0160037671 - 0160040674, excl 0160040468 & 0160040672	1001110402				.	.	
		0160040675 - Present, incl 0160040468 & 0160040672	1001130708				.	.	
	G10-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672	1001115257				.	.	
		0160040675 - Present, incl 0160040468 & 0160040672	1001130844				.	.	
	G10-55A	Prior To 0160037689	1001105707	.	.	.	.		
		0160037690 - Present, incl 0160038505, 0160038507, 0160038324, 0160038489 & 0160038493	1001115138				.	.	
	G12-55A	Prior To 0160037689	1001105326	.	.	.	.		
		0160037689 - Present	1001115540				.	.	
TF6-42	ALL	Consult Factory	.	.	.				

Non-Current Production - Tower Carriages, Gradall Available Through JLG Aftermarket Parts

TOWER HEIGHT			6 ft.	6 ft.	6 ft.	6 ft.	6 ft.	6 ft.	8 ft.	8 ft.
CARRIAGE TYPE			Standard	Standard	Standard	Swing w/ S.S.	Swing w/ S.S.	Standard	Swing w/ S.S.	Standard
CARRIAGE WIDTH			48 in.	48 in.	66 in.	66 in.	66 in.	72 in.	72 in.	50 in.
INCLUDED FORK LENGTH			None	None	None	48 in.	60 in.	None	48 in.	None
LIFTING CAPACITY			4000 lbs.	4500 lbs.	4000 lbs.	2620 lbs.	2880 lbs.	4500 lbs.	2600 lbs.	4500 lbs.
PART NO.			90455035	91405060	90455037	90455047*	90455054*	91405061	91405070	1001108668
FORK PIN NO.			91034410	70020387	91034432	N/A	N/A	70020388	N/A	70022990
MODEL	SN BREAKS	LOAD CHART BOOKLET								
GRADALL	G6-42P	Prior To 0160037689	1001105324		.			.	.	
		0160037689 - Present	1001106005						.	.
	522D/524D	ALL	Consult Factory	.	.					
	534D-6	ALL	Consult Factory	.	.	.				
		Prior To 0160037689	1001102719	.	.	.	.			
	534D-9	Prior To 0160037689	1001102720	.	.	.	.			
		0160037689 - Present	1001110406						.	.
	534D-10	Prior To 0160037689	1001102721	.	.	.	.			
		0160037689 - Present	1001110407						.	.

*Forks included with PNs 90455047 and 90455054.

Continues on next page

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Tower Carriages, Gradall
 Available Through JLG Aftermarket Parts

Continued from previous page

TOWER HEIGHT				6 ft.	6 ft.	6 ft.	6 ft.	6 ft.	6 ft.	6 ft.	8 ft.	8 ft.
CARRIAGE TYPE				Standard	Standard	Standard	Swing w/ S.S.	Swing w/ S.S.	Standard	Swing w/ S.S.	Standard	Side-Tilt
CARRIAGE WIDTH				48 in.	48 in.	66 in.	66 in.	66 in.	72 in.	72 in.	50 in.	50 in.
INCLUDED FORK LENGTH				None	None	None	48 in.	60 in.	None	48 in.	None	None
LIFTING CAPACITY				4000 lbs.	4500 lbs.	4000 lbs.	2620 lbs.	2880 lbs.	4500 lbs.	2600 lbs.	4500 lbs.	4500 lbs.
PART NO.				90455035	91405060	90455037	90455047*	90455054*	91405061	91405070	1001108668	1001108669
FORK PIN NO.				91034410	70020387	91034432	N/A	N/A	70020388	N/A	70022990	70022990
MODEL		SN BREAKS	LOAD CHART BOOKLET									
GRADALL	544D	Prior To 0160037689	1001102721								•	•
		0160037689 - Present	1001106008									•
	534C-9	ALL	Consult Factory	•		•	•					
	534C-10	ALL	Consult Factory	•		•	•					
	544C	ALL	Consult Factory	•		•	•					

*Forks included with PNs 90455047 and 90455054.

Non-Current Production - Tower Carriages, SkyTrak Legacy
 Available Through JLG Aftermarket Parts

TOWER HEIGHT				8 ft.
CARRIAGE TYPE				Standard
CARRIAGE WIDTH				50 in.
INCLUDED FORK LENGTH				None
LIFTING CAPACITY				4500 lbs.
PART NO.				1001108668
FORK PIN NO.				70022990
MODEL		SN BREAKS	LOAD CHART BOOKLET	
SKYTRAK LEGACY	6036	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199500	.
	6042	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504	.
	8042	0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508	.
	10042	0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 01600669359 & 0160069441	1001199512	.
		0160037798 - Present	1001199512	.
	10054	0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199518	.
		0160037793 - Present	1001199518	.

Non-Current Production - Tower Carriages, Lull
 Available Through JLG Aftermarket Parts

TOWER HEIGHT				8 ft.	8 ft.	8 ft.	8 ft.
CARRIAGE TYPE				Standard	Standard	Side-Tilt	Side-Tilt
CARRIAGE WIDTH				50 in.	50 in.	50 in.	50 in.
INCLUDED FORK LENGTH				None	None	None	None
LIFTING CAPACITY				2629 lbs.	4500 lbs.	2629 lbs.	4500 lbs.
PART NO.				48056	1001108668	48057	1001108670
FORK PIN NO.				10138064	70022990	10138064	70022990
MODEL		SN BREAKS	LOAD CHART BOOKLET				
LULL	644E-42	0160037900 - Present	1001106009		.		
	944E-42	0160037794 - Present, incl 0160045421	1001134329		.		
	1044C-54 SII	Prior To 0160037893	1001105327	.		.	
	1044C-54 SII	0160037900 - Present	1001110409	.	.	.	.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.