

Forks

There are three main fork types available: the pallet fork, the cubing fork and the lumber fork.



Pallet Forks

- handle palletized material and other loads that require transportation and placement



Cubing Forks

- smaller width
- used to load, unload and place cubes of brick and block



Lumber Forks

- wider width
- ideal for separating stacks of lumber

Current Production - Forks, JLG

Available Through JLG Aftermarket Or With New Machine Orders

TYPE		Pallet				Cubing	Lumber			Dual Taper
CAPACITY PER FORKAT 24 IN. LOAD CENTER		5475 lbs.	5650 lbs.	6850 lbs.	7500 lbs.	1940 lbs.	3650 lbs.	6850 lbs.	8150 lbs.	7500 lbs.
FORK DIMENSIONS		2.25"x4"x48"	2.25"x6"x72"	2.25"x5"x48"	2.36"x6"x48"	2"x2"x48"	1.5"x6"x60"	2"x7"x60"	2.25"x6"x60"	2.36"x6"x72"
EYE DIAMETER		2.25"	2.25"	2.25"	2.31"	2.25"	2.25"	2.25"	2.25"	2.31"
FORK DROP		24"	24"	24"	24"	24"	24"	24"	24"	24"
PART NO.		2340045	1001092391	2340038	1001193801	2340037	1001099457	1001097110	2340039	1001193802
JLG	642	▪	▪	▪		▪	▪	▪	▪	
	943	▪	▪	▪		▪	▪	▪	▪	
	1043	▪	▪	▪		▪	▪	▪	▪	
	1055	▪	▪	▪		▪	▪	▪	▪	
	1255		▪	▪		▪	▪	▪	▪	
	G15-44A				▪				▪	▪

Current Production - Forks, SkyTrak

Available Through JLG Aftermarket Or With New Machine Orders

TYPE		Pallet			Cubing	Lumber	
CAPACITY PER FORKAT 24 IN. LOAD CENTER		5475 lbs.	5650 lbs.	6850 lbs.	1940 lbs.	5400 lbs.	8150 lbs.
FORK DIMENSIONS		2.25"x4"x48"	2.25"x6"x72"	2.25"x5"x48"	2"x2"x48"	1.75"x7"x60"	2.25"x6"x60"
EYE DIAMETER		2.25"	2.25"	2.25"	2.25"	2.25"	2.25"
FORK DROP		24"	24"	24"	24"	24"	24"
PART NO.		2340045	1001092391	2340038	2340037	2340046	2340039
SKYTRAK T4F	6036 0160069720 - Present, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	▪	▪	▪	▪	▪	▪
	6042 0160069720 - Present, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	▪	▪	▪	▪	▪	▪
	8042 0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪	▪	▪	▪	▪	▪
	10042 0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪	▪	▪	▪	▪	▪
	10054 0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪	▪	▪	▪	▪	▪

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

NON-CURRENT JLG FORKS

Non-Current Production - Pallet Forks, JLG

Available Through JLG Aftermarket Parts

TYPE			Pallet					
CAPACITY PER FORK AT 24 IN. LOAD CENTER			3800 lb	4409 lbs. (rated at 20" load center)	4409 lbs. (rated at 20" load center)	5475 lbs.	5475 lbs.	5650 lbs.
FORK DIMENSIONS			2"x4"x48"	1.75"x5"x48"	2"x4"x48"	2.25"x4"x48"	2.25"x4"x48"	2"x6"x60"
EYE DIAMETER			2.25"	2.375"	2.375"	2.25"	2.25"	2.25"
FORK DROP			24"	28"	28"	20"	24"	25.5"
PART NO.			1001099458	2340029	2340030	91513206	2340045	91403580
JLG	619A	ALL	▪					
	723A	ALL	▪					
	G5-18A	ALL	▪					
	G5-19A	ALL		▪	▪			
	G6-23A	ALL		▪	▪			
	G6-42A	Prior To 0160037722				▪	▪	▪
	G6-42A	0160037722 - Present					▪	▪
	G9-43A	Prior To 0160037671				▪	▪	▪
	G9-43A	0160037671 - Present					▪	▪
	G10-43A	ALL					▪	▪
	G10-55A	Prior To 0160037689				▪	▪	▪
	G10-55A	0160037689 - Present					▪	▪
	G12-55A	Prior To 0160037689				▪	▪	▪
	G12-55A	0160037689 - Present					▪	▪
	TF6-42	ALL				▪	▪	▪

Pallet options continue below

Non-Current Production - Pallet Forks, JLG

Available Through JLG Aftermarket Parts

TYPE			Pallet			Pallet (Sold as Set)			Pallet (Fork Positioning Carriage Only)
CAPACITY PER FORK AT 24 IN. LOAD CENTER			6850 lbs.	6850 lbs.	8150 lbs.	4409 lbs. (rated at 20" load center)	4409 lbs. (rated at 20" load center)	4409 lbs.	5000 lbs.
FORK DIMENSIONS			2.25"x5"x48"	2.25"x5"x48"	2.25"x6"x60"	2"x4"x48"	2"x5"x48"	2.25"x4"x48"	2.25"x4"x48"
EYE DIAMETER			2.25"	2.25"	2.25"	2.375"	2.375"	2.375"	2"
FORK DROP			20"	24"	20"	21.5"	21.5"	21.5"	24"
PART NO.			91563141	2340038	91563142	2340041	1001117945	1001107586	7301408
JLG	619A	ALL							
	723A	ALL							
	G5-18A	ALL							
	G5-19A	ALL				▪	▪	▪	
	G6-23A	ALL				▪	▪	▪	
	G6-42A	Prior To 0160037722	▪	▪	▪				
	G6-42A	0160037722 - Present		▪					▪
	G9-43A	Prior To 0160037671	▪	▪	▪				
	G9-43A	0160037671 - Present		▪					▪
	G10-43A	ALL		▪					▪
	G10-55A	Prior To 0160037689	▪	▪	▪				
	G10-55A	0160037689 - Present		▪					▪
	G12-55A	Prior To 0160037689	▪	▪	▪				
	G12-55A	0160037689 - Present		▪					▪
	TF6-42	ALL	▪	▪	▪				

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Cubing and Drywall Forks, JLG

Available Through JLG Aftermarket Parts

TYPE			Cubing		Cubing (Sold as Set)	Drywall
CAPACITY PER FORK AT 24 IN. LOAD CENTER			1940 lbs.	1940 lbs.	1940 lbs.	2500 lbs.
FORK DIMENSIONS			2"x2"x48"	2"x2"x48"	2"x2"x48"	1.75"x4"x48"
EYE DIAMETER			2.25"	2.25"	2.375"	2.25"
FORK DROP			20"	24"	21.5"	29"
PART NO.			91403359	2340037	10010979225	91403366
JLG	619A	ALL		▪		
	723A	ALL		▪		
	G5-18A	ALL		▪		
	G5-19A	ALL			▪	
	G6-23A	ALL			▪	
	G6-42A	Prior To 0160037722	▪	▪		▪
	G6-42A	0160037722 - Present		▪		
	G9-43A	Prior To 0160037671	▪	▪		▪
	G9-43A	0160037671 - Present		▪		
	G10-43A	ALL		▪		
	G10-55A	Prior To 0160037689	▪	▪		▪
	G10-55A	0160037689 - Present		▪		
	G12-55A	Prior To 0160037689	▪	▪		▪
	G12-55A	0160037689 - Present		▪		
	TF6-42	ALL	▪	▪		▪

Non-Current Production - Lumber Forks, JLG

Available Through JLG Aftermarket Parts

TYPE			Lumber					
CAPACITY PER FORK AT 24 IN. LOAD CENTER			3050 lbs.	3650 lbs.	5000 lbs.	5400 lbs.	5650 lbs.	8150 lbs.
FORK DIMENSIONS			1.75"x4"x48"	1.5"x6"x60"	2"x6"x72"	1.75"x7"x60"	2"x6"x60"	2.25"x6"x60"
EYE DIAMETER			2.25"	2.2"	2"	2.25"	2"	2.25"
FORK DROP			25.5"	24"	20"	24"	20"	24"
PART NO.			91403364	1001099457	91123132	2340046	91163269	2340039
JLG	619A	ALL		▪				
	723A	ALL		▪				
	G5-18A	ALL		▪				
	G5-19A	ALL						
	G6-23A	ALL						
	G6-42A	Prior To 0160037722	▪			▪		▪
	G6-42A	0160037722 - Present				▪		▪
	G9-43A	Prior To 0160037671	▪			▪		▪
	G9-43A	0160037671 - Present				▪		▪
	G10-43A	ALL				▪		▪
	G10-55A	Prior To 0160037689	▪			▪		▪
	G10-55A	0160037689 - Present				▪		▪
	G12-55A	Prior To 0160037689	▪			▪		▪
	G12-55A	0160037689 - Present				▪		▪
	TF6-42	ALL	▪			▪		▪

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

NON-CURRENT GRADALL FORKS

Non-Current Production - Pallet Forks, Gradall

Available Through JLG Aftermarket Parts

TYPE			Pallet						
CAPACITY PER FORK AT 24 IN. LOAD CENTER			3750 lbs. (rated at 48" load center)	4000 lbs.	4500 lbs.	5000 lbs.	5000 lbs.	5000 lbs.	5475 lbs.
FORK DIMENSIONS			2"x6"x96"	2"x4"x48"	1.75"x6"x48"	2"x6"x48"	2"x6"x60"	2"x6"x72"	2.25"x4"x48"
EYE DIAMETER			2"	2"	2"	2"	2"	2"	2.25"
FORK DROP			20"	20"	20"	20"	20"	20"	20.5"
PART NO.			H0453002	90453002	90601819	90553005	90601015	90553018	90453048
GRADALL	G6-42P	Prior To 0160037689							▪
	G6-42P	0160037689 - Present							
	522D/524D	ALL		▪	▪	▪	▪	▪	▪
	534D-6	ALL		▪	▪	▪	▪	▪	▪
	534D-9	Prior To 0160037689	▪	▪	▪	▪	▪	▪	▪
	534D-9	0160037689 - Present							
	534D-10	Prior To 0160037689	▪	▪	▪	▪	▪	▪	▪
	534D-10	0160037689 - Present							
	544D	Prior To 0160037689	▪	▪	▪	▪	▪	▪	▪
	544D	0160037689 - Present							
	534C-9	ALL	▪	▪	▪	▪	▪	▪	▪
	534C-10	ALL		▪	▪	▪	▪	▪	▪
	544C	ALL		▪	▪	▪	▪	▪	

Pallet options continue below

Non-Current Production - Pallet Forks, Gradall

Available Through JLG Aftermarket Parts

TYPE			Pallet					Pallet (Swing Mast Carriage Only)	
CAPACITY PER FORK AT 24 IN. LOAD CENTER			5475 lbs.	5650 lbs.	5650 lbs.	6850 lbs.	6850 lbs.	8150 lbs.	2500 lbs.
FORK DIMENSIONS			2.25"x4"x48"	2"x6"x60"	2.25"x6"x72"	2.25"x5"x48"	2.25"x5"x48"	2.25"x6"x60"	1.75"x4"x48"
EYE DIAMETER			2.25"	2.25"	2.25"	2.25"	2.25"	2.25"	2"
FORK DROP			24"	25.5"	24"	20"	24"	20"	25.5"
PART NO.			2340045	91403580	1001092391	91563141	2340038	91563142	90553008
GRADALL	G6-42P	Prior To 0160037689	▪	▪	▪	▪	▪	▪	
	G6-42P	0160037689 - Present	▪		▪		▪		
	522D/524D	ALL							
	534D-6	ALL							▪
	534D-9	Prior To 0160037689	▪		▪		▪		▪
	534D-9	0160037689 - Present	▪		▪		▪		
	534D-10	Prior To 0160037689	▪		▪		▪		▪
	534D-10	0160037689 - Present	▪		▪		▪		
	544D	Prior To 0160037689	▪		▪		▪		▪
	544D	0160037689 - Present	▪		▪		▪		
	534C-9	ALL							▪
	534C-10	ALL							▪
	544C	ALL							▪

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Cubing and Drywall Forks, Gradall

Available Through JLG Aftermarket Parts

TYPE			Cubing			Drywall	
CAPACITY PER FORK AT 24 IN. LOAD CENTER			1500 lbs.	1940 lbs.	1940 lbs.	2500 lbs.	2500 lbs.
FORK DIMENSIONS			2"x2"x48"	2"x2"x48"	2"x2"x48"	1.75"x4"x48"	1.75"x4"x48"
EYE DIAMETER			2"	2.25"	2.25"	2"	2.25"
FORK DROP			20"	20"	24"	29"	29"
PART NO.			90600390	91403359	2340037	90453013	91403366
GRADALL	G6-42P	Prior To 0160037689		▪	▪		▪
	G6-42P	0160037689 - Present			▪		
	522D/524D	ALL	▪			▪	
	534D-6	ALL	▪			▪	
	534D-9	Prior To 0160037689	▪		▪	▪	
	534D-9	0160037689 - Present			▪		
	534D-10	Prior To 0160037689	▪		▪	▪	
	534D-10	0160037689 - Present			▪		
	544D	Prior To 0160037689	▪		▪	▪	
	544D	0160037689 - Present			▪		
	534C-9	ALL	▪			▪	
	534C-10	ALL	▪			▪	
	544C	ALL	▪			▪	

Non-Current Production - Lumber Forks, Gradall

Available Through JLG Aftermarket Parts

TYPE			Lumber					
CAPACITY PER FORK AT 24 IN. LOAD CENTER			3050 lbs.	5000 lbs.	5400 lbs.	5650 lbs.	8150 lbs.	8150 lbs.
FORK DIMENSIONS			1.75"x4"x48"	2"x6"x72"	1.75"x7"x60"	2"x6"x60"	2.25"x6"x60"	2.25"x6"x72"
EYE DIAMETER			2.25"	2"	2.25"	2"	2.25"	2.25"
FORK DROP			25.5"	20"	24"	20"	24"	20"
PART NO.			91403364	91123132	2340046	91163269	2340039	91563143
GRADALL	G6-42P	Prior To 0160037689	▪		▪		▪	▪
	G6-42P	0160037689 - Present			▪		▪	
	522D/524D	ALL		▪		▪		
	534D-6	ALL		▪		▪		
	534D-9	Prior To 0160037689		▪	▪	▪	▪	
	534D-9	0160037689 - Present			▪		▪	
	534D-10	Prior To 0160037689		▪	▪	▪	▪	
	534D-10	0160037689 - Present			▪		▪	
	544D	Prior To 0160037689		▪	▪	▪	▪	
	544D	0160037689 - Present			▪		▪	
	534C-9	ALL		▪		▪		
	534C-10	ALL		▪		▪		
	544C	ALL		▪		▪		

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

NON-CURRENT SKYTRAK FORKS

Non-Current Production - Pallet Forks, SkyTrak
Available Through JLG Aftermarket Parts

TYPE			Pallet						
CAPACITY PER FORK AT 24 IN. LOAD CENTER			3000 lbs.	4000 lbs.	5000 lbs.	5060 lbs.	5475 lbs.	5600 lbs.	6850 lbs.
FORK DIMENSIONS			1.75"x4"x48"	2"x4"x48"	2"x4"x48"	2"x5"x72"	2.25"x4"x48"	2.25"x6"x72"	2.25"x5"x48"
EYE DIAMETER			2"	2"	2"	2"	2.25"	2.25"	2.25"
FORK DROP			22"	24"	24"	24"	24"	24"	24"
PART NO.			7048233	7097523	7301408	2340042	2340045	1001092391	2340038
SKYTRAK	6036	Prior To 0160031200	▪	▪	▪	▪	▪		▪
	6036	0160031200 - 016009719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411			▪		▪	▪	▪
	6042	Prior To 0160031200		▪	▪	▪	▪		▪
	6042	0160031200 - 016009719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411			▪		▪	▪	▪
	8042	Prior To 0160031235		▪	▪	▪	▪		▪
	8042	0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441			▪		▪	▪	▪
	10042	Prior To 0160031425		▪	▪	▪	▪		▪
	10042	0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 01600069441			▪		▪	▪	▪
	10054	Prior To 0160031255		▪	▪	▪	▪		▪
	10054	To 0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441			▪		▪	▪	▪
	4266	ALL		▪					
	4270	ALL		▪					
4290	ALL			▪					

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Cubing, Drywall and Lumber Forks, SkyTrak Available Through JLG Aftermarket Parts

TYPE			Cubing		Drywall	Lumber				
CAPACITY PER FORK AT 24 IN. LOAD CENTER			1940 lbs.	2000 lbs.	5000 lbs.	3000 lbs.	5400 lbs.	5650 lbs.	6000 lbs.	8150 lbs.
FORK DIMENSIONS			2"x2"x48"	2"x2"x48"	1.75"x7"x48"	1.75"x5"x60"	1.75"x7"x60"	2"x6"x60"	1.75"x7"x60"	2.25"x6"x60"
EYE DIAMETER			2.25"	2"	2"	2"	2.25"	2"	2"	2.25"
FORK DROP			24"	22"	24"	24"	24"	24"	24"	24"
PART NO.			2340037	7139747	7130453	7092793	2340046	2340036	7139746	2340039
SKYTRAK	6036	Prior To 0160031200	▪	▪	▪	▪		▪	▪	▪
	6036	0160031200 - 016009719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	▪				▪			▪
	6042	Prior To 0160031200	▪	▪	▪			▪	▪	▪
	6042	0160031200 - 016009719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	▪				▪			▪
	8042	Prior To 0160031235	▪	▪	▪			▪	▪	▪
	8042	0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪				▪			▪
	10042	Prior To 0160031425	▪	▪	▪			▪	▪	▪
	10042	0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 01600069441	▪				▪			▪
	10054	Prior To 0160031255	▪	▪	▪			▪	▪	▪
	10054	0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	▪				▪			▪
	4266	ALL		▪	▪				▪	
	4270	ALL		▪	▪				▪	
4290	ALL		▪	▪				▪		

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

NON-CURRENT LULL FORKS

Non-Current Production - Pallet Forks, Lull

Available Through JLG Aftermarket Parts

TYPE			Pallet							
CAPACITY PER FORK AT 24 IN. LOAD CENTER			4000 lbs.	4000 lbs.	4000 lbs.	5000 lbs.	5000 lbs.	5000 lbs.	5000 lbs.	5000 lbs.
FORK DIMENSIONS			2"x4"x42"	2"x4"x48"	2"x4"x60"	2"x4"x48"	2"x5"x42"	2"x5"x48"	2"x5"x60"	2.25"x4"x60"
EYE DIAMETER			1.875"	1.875"	1.875"	2"	2"	2"	2"	2"
FORK DROP			25"	27"	25"	24"	25"	27"	27"	25"
PART NO.			10238026	1001099850	10238117	7301408	10238568	1001099846	1001099848	10239893
LULL	644E-42	Prior To 0160037794				•				
	644E-42	0160037794 - Present				•				
	944E-42	Prior To 0160037794				•				
	644E-42	0160037794 - Present				•				
	1044C-54 SII	Prior To 0160037893		•				•	•	•
	1044C-54 SII	0160037893 - Present				•				
	644B-37	ALL	•	•	•					
	644B-42	ALL	•	•	•					
	844C-42	ALL	•	•	•					
	1044C-42/1044C-54	ALL					•	•	•	•
	6K-37	ALL	•	•	•					
	6K-42	ALL	•	•	•					
	8K-42	ALL	•	•	•					
	10K-42/10K-54	ALL					•	•	•	•
	644D-34	ALL	•	•	•					

Pallet options continue below

Non-Current Production - Pallet Forks, Lull

Available Through JLG Aftermarket Parts

TYPE			Pallet				Pallet (Swing Carriage Only)		Pallet (Fork Positioning Carriage Only)		
CAPACITY PER FORK AT 24 IN. LOAD CENTER			5000 lbs.	5475 lbs.	5600 lbs.	6850 lbs.	5000 lbs.	5060 lbs.	4000 lbs	4000 lbs	5000 lbs
FORK DIMENSIONS			2.25"x4"x48"	2.25"x4"x48"	2.25"x6"x72"	2.25"x5"x48"	2"x5"x60"	2"x5"x48"	2"x4"x42"	2"x4"x48"	2"x5"x42"
EYE DIAMETER			2"	2.25"	2.25"	2.25"	2.25"	2.25"	2.75"	2.75"	2.75"
FORK DROP			27"	24"	24"	24"	22"	22"	25"	25"	25"
PART NO.			1001099847	2340045	1001092391	2340038	10239970	2340048	10338502 (LH) 10338503 (RH)	10339345 (LH) 10339346 (RH)	10365687 (LH) 10365686 (RH)
LULL	644E-42	Prior To 0160037794		•		•					
	644E-42	0160037794 - Present		•	•	•					
	944E-42	Prior To 0160037794		•		•					
	644E-42	0160037794 - Present		•	•	•					
	1044C-54 SII	Prior To 0160037893	•				•	•			•
	1044C-54 SII	0160037893 - Present		•	•	•					
	644B-37	ALL							•	•	
	644B-42	ALL							•	•	
	844C-42	ALL							•	•	
	1044C-42/1044C-54	ALL	•								•
	6K-37	ALL							•	•	
	6K-42	ALL							•	•	
	8K-42	ALL							•	•	
	10K-42/10K-54	ALL	•								
	644D-34	ALL									

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Cubing and Lumber Forks, Lull

Available Through JLG Aftermarket Parts

TYPE			Cubing				Lumber		
CAPACITY PER FORK AT 24 IN. LOAD CENTER			1940 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	4000 lbs.	4000 lbs.	5000 lbs.
FORK DIMENSIONS			2"x2"x48"	2"x2"x48"	2"x2"x48"	2"x2"x48"	1.75"x6"x48"	1.75"x6"x60"	1.75"x7"x48"
EYE DIAMETER			2.25"	2"	2"	2"	1.875"	1.875"	2"
FORK DROP			24"	22"	25"	27"	25"	25"	25"
PART NO.			2340037	7139747	10238118	1001099845	10217103	10223610	10239094
LULL	644E-42	Prior To 0160037794	▪	▪					
	644E-42	0160037794 - Present	▪						
	944E-42	Prior To 0160037794	▪	▪					
	644E-42	0160037794 - Present	▪						
	1044C-54 SII	Prior To 0160037893			▪	▪			
	1044C-54 SII	0160037893 - Present	▪						
	644B-37	ALL			▪		▪	▪	
	644B-42	ALL			▪		▪	▪	
	844C-42	ALL			▪		▪	▪	
	1044C-42/1044C-54	ALL			▪	▪			▪
	6K-37	ALL			▪		▪	▪	
	6K-42	ALL			▪		▪	▪	
	8K-42	ALL			▪		▪	▪	
	10K-42/10K-54	ALL			▪	▪			▪
	644D-34	ALL			▪		▪	▪	

Lumber options continue below

Non-Current Production - Lumber Forks, Lull

Available Through JLG Aftermarket Parts

TYPE			Lumber						Lumber (Swing Carriage Only)		
CAPACITY PER FORK AT 24 IN. LOAD CENTER			5000 lbs.	5000 lbs.	5000 lbs.	5400 lbs.	5650 lbs.	6000 lbs.	8150 lbs.	4000 lbs.	5000 lbs.
FORK DIMENSIONS			1.75"x7"x60"	2"x6"x48"	2"x6"x60"	1.75"x7"x60"	2"x6"x60"	1.75"x7"x60"	2.25"x6"x60"	1.75"x6"x48"	1.75"x7"x60"
EYE DIAMETER			2"	2"	2"	2.25"	2"	2"	2.25"	2.25"	2.25"
FORK DROP			27"	29.5"	29.5"	24"	24"	24"	24"	22"	22"
PART NO.			1001099849	10238181	10238182	2340046	2340036	7139746	2340039	10239954	10239969
LULL	644E-42	Prior To 0160037794					▪	▪	▪		
	644E-42	0160037794 - Present				▪			▪		
	944E-42	Prior To 0160037794					▪	▪	▪		
	644E-42	0160037794 - Present				▪			▪		
	1044C-54 SII	Prior To 0160037893	▪							▪	▪
	1044C-54 SII	0160037893 - Present				▪			▪		
	644B-37	ALL									
	644B-42	ALL									
	844C-42	ALL									
	1044C-42/1044C-54	ALL	▪	▪	▪						
	6K-37	ALL									
	6K-42	ALL									
	8K-42	ALL									
	10K-42/10K-54	ALL	▪	▪	▪						
	644D-34	ALL									

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.